



## 1048WH Portable Lithium Generator Battery 1000w Power Bank Big Storage

Our Product Introduction

### Basic Information

- Place of Origin: Hubei, China
- Brand Name: SY ODM OEM
- Certification: CE
- Model Number: SYW-BTE132
- Minimum Order Quantity: 10pcs
- Price: USD100~200
- Packaging Details: Carton
- Delivery Time: 5~8 work days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 1000pcs/month



### Product Specification

- Product Name: Lithium Generator Battery
- Material: Lithium Iron Phosphate Cell
- Capacity: 1050Wh
- Charging Power: 25.5V / 6A
- USB Output: 8 \* USB:5V/3.1A(MAX), 2 \* Type-C:5V~9V/2A, 2 \* USB3.0:5V~9V/2A
- Rated AC Output: 1000W
- Battery Size: 394×213 X287mm
- Weight: 16KG
- Working Temperature: -10 ~ 40
- Highlight: 1048WH Lithium Generator Battery, Portable Lithium Generator Battery, Lithium 1000w power bank



### More Images



for more products please visit us on [battery-generator.com](http://battery-generator.com)

## Product Description

### 1000W Portable Lithium Generator Battery outdoor energy supply 1048WH big storage

#### Product Description

- Capacity: 1048 Wh (22.4v, 46.8Ah)
- Battery Cell: LiFePo4
- Input Charging: DC 25.5V / 6A
- Charging Time: DC 8~9hrs
- USB Output: 8 \* USB: 5V/3.1A(MAX), 2 \* Type-C: 5V~9V/2A, 2 \* USB3.0: 5V~9V/2A
- AC output: 4 \* AC sine wave, 1000W continuous output, 230V AC output
- LED power indicator light
- Working Temperature: -10 ~ 40
- Life time: > 2000times
- Battery Size (LWH): 394x213 x287mm
- Battery Weight: about 16kg

#### Product Parameter



Built-in cell: Lithium iron phosphate multiplier batter

Cell capacity: 1048Wh (22.4V, 46.8AH)

ATL capacity: 3600mAh

Cell charging and Discharging:  
>2000next, capacity maintain About 80%

Charge duration: DC 8~9 hours

Working Temperature: -10~40°C

Loop life span: >2000 next

Solar panel charging specifications:  
Anderson plug 24V~50/6A

AC output: 4\*AC Pure sinusoidal output

AC continuous output power: 1000W

#### Product Features:

- Multiple safety majors are safer
- Over temperature protection

- Undervoltage protection
- Overcurrent protection

## Multiple safety majors are safer



Over temperature  
protection



Undervoltage protection



Overcurrent protection



Overload protection



Short circuit protection



Overvoltage protection

# Usage scenarios



**If you**

enjoy outdoor  
activity, this is  
the trip for you.

The **F132** product is  
capable of supplying power  
to a variety of devices in a  
variety of scenarios



**Products Application:**

---

## Output Ports Description

More outputs models, suitable for different types of electronic products  
DC/ USB/ Type-C/ AC



OUTPUT: 2xDC5521,  
1xCigarette light adapter

Voltage stabilization  
12V/7A

OUTPUT: 8xUSB 5V/3.1A 2xUSB3.0 2xTYPE-C

PD:18W  
USB3.0:5V 9V/2A TYPE-C:5V 9V/2A

OUTPUT: 4xAC

110V/230V  
1000W



electric cooker (500W)  
Power supply is about 1.6 hours



electric fan (60W)  
Power supply is about 14 hours



car refrigerator (65w)  
Power supply is about 38 hours



Mac book 12 HWD  
Power supply is about 19 next



iPhone XS  
Power supply is about 65 next



SLR camera  
Power supply is about 45 next



UAV(OSPF 1 ERA)  
Power supply is about 19 next



electric drill(345W)  
Power supply is about 2 hours



projector(100W)  
Power supply is about 8 hours

Products HD Pictures:







## Factory Tourist



## Contact Information:



Jackie.Shaw

Whatsapp: +86-13317100403

Mail: Jackie.shaw@foxmail.com



**HaiNan SynYune EV Technology Co.,Ltd**



SYJackie@163.com



battery-generator.com

No. 4 Jipu Road, Xinyingwan District, Yangpu EDZ, Hainan Province